




DETAIL PLAN
SCALE: NONE




SECTION A-A
SCALE: NONE



SECTION B-B
SCALE: NONE



SECTION C-C
SCALE: NONE



SECTION D-D
SECTION ALONG CROSSING @
SCALE: NONE

NOTES:

1. ALL DISTURBED TURFED AREAS SHALL BE TURFED WITH BERMUDA GRASS OR AN APPROVED MIX. THE TURFING SHALL INCLUDE FERTILIZING, MULCHING, AND WATERING WHERE NEEDED.
2. THE LEVEE CROWN RAMP OVER THE UTILITY SHALL BE SURFACED WITH CRUSHED STONE. THE SURFACING SHALL BE A MINIMUM OF 7 INCHES THICK LOOSE MEASUREMENT, AND SHALL NOT BE CONSIDERED PART OF THE MINIMUM 2' SEMI-COMPACTED COVER FILL MATERIAL.
3. FILL MATERIAL USED IN CONSTRUCTION OF UTILITY COVER SHALL BE SIMILAR TO MATERIAL IN EXISTING LEVEE SECTION.
4. UTILITIES SHALL BE PLACED ABOVE DESIGN SECTION OF LEVEE AND BERMS AT LOCATION OF THE CROSSING. EXISTING SURFACE OF BERM IS DESIGN SURFACE.
5. AREAS TO RECEIVE COVER SHALL HAVE EXISTING SURFACING AND TURF REMOVED PRIOR TO SCARIFYING AND PLACING OF COVER MATERIAL.

DR 1130-2-530

UPDATED
DECEMBER 2008

C-2

U.S. ARMY ENGINEER DISTRICT, VICKSBURG
CORPS OF ENGINEERS
VICKSBURG, MISSISSIPPI

EAST AND WEST BANK MISSISSIPPI RIVER LEVEES
TYPICAL BURIED UTILITY CROSSING